Author Index

Abraham, W., see Kim, Y.-H. (1148) 139
Ahkong, Q.F., see Song, L.Y. (1148) 30
Ahkong, Q.F., see Tilcock, C. (1148) 77
Akerboom, T.P.M., see Horbach, M.E. (1148) 61
Akkerman, J.-W.N., see Nieuwland, R. (1148) 185
Alekseev, S.I. and Zaykin, A.V.
Kinetic study of A-type current inactivation in *Lymnaea* neurons (1148) 97
Altmannsberger, M., see Birk, H.-W. (1148) 67
Ambrosini, A., Bertoli, E., Mariani, P., Tanfani, F., Wozniak, M. and Zolese, G.
N-Acylethanolamines as membrane topological stress compromising agents (1148) 351
Apell, H.-J., see Ivashchuk-Kienbaum, Y.A. (1148) 321
Arnold, K., see Zschörnig, O. (1148) 1
Aslanian, D., Grof, P., Galzi, J.-L. and Changeux, J.-P.
A Raman spectroscopic study of acetylcholine receptor-rich membranes from *Torpedo marmorata*. Interaction of the receptor with carbamylcholine and (+)-tubocurarine (1148) 291
Avakian, T.Y., see Ritov, V.B. (1148) 257

Baggio, B., Bordin, L., Clari, G., Gambaro, G. and Moret, V.
Functional correlation between the Ser/Thr-phosphorylation of band-3 and band-3-mediated transmembrane anion transport in human erythrocytes (1148) 157
Balakrishnan, A.R. and Easwaran, K.R.K.
CD and NMR studies on the aggregation of amphotericin-B in solution (1148) 269
Baldwin, J.M., see Song, L.Y. (1148) 30
Bannai, S., see Sato, H. (1148) 127
Barisas, B.G., see Printen, J.A. (1148) 91
Bauernschmitt, H.G. and Kinne, R.K.H.
Metabolism of the 'organic osmolyte' glycerophosphorylcholine in isolated rat inner medullary collecting duct cells. I. Pathways for synthesis and degradation (1148) 331
Bertoli, E., see Ambrosini, A. (1148) 351
Besancon, M., see Shin, J.M. (1148) 223
Birk, H.-W., Ogiermann, M., Altmannsberger, M., Schütterle, G., Haase, W. and Koepsell, H.
Monoclonal antibodies against luminal membranes of renal proximal tubules which are kidney-specific (1148) 67
Bittar, E.E. and Huang, Y.-P.
The reduction of the inhibitory effect of aluminum on Na^+ efflux in barnacle muscles fibers by preinjecting phosphate (1148) 123
Bookchin, R.M., see Lew, V.L. (1148) 152
Boonstra, J., see Den Hartigh, J.C. (1148) 249
Bordin, L., see Baggio, B. (1148) 157
Bower, V., see Garrick, R.A. (1148) 108
Butterworth, P.J. and Younus, M.J.
Uptake of phosphate by rat hepatocytes in primary culture: a sodium-dependent system that is stimulated by insulin (1148) 117
Butylin, A.A., see Ritov, V.B. (1148) 257

Changeux, J.-P., see Aslanian, D. (1148) 291
Chesnoy-Marchais, D. and Fritsch, J.
Potassium currents and effects of vitamin D-3 metabolites and cyclic GMP in rat osteoblastic cells (1148) 239
Chinard, F.P., see Garrick, R.A. (1148) 108
Clari, G., see Baggio, B. (1148) 157
Cohen, C.M., see Dotimas, E. (1148) 19
Cribier, S., Sainte-Marie, J. and Devaux, P.F.
Quantitative comparison between aminophospholipid translocase activity in human erythrocytes and in K562 cells (1148) 85
Cua, W.O., see Garrick, R.A. (1148) 108
Cunningham, B.A., see Sanderson, P.W. (1148) 278
Cunningham, B.A., see Williams, W.P. (1148) 285

DaCosta, R., see Lew, V.L. (1148) 152
Daum, G., see Tahotna, D. (1148) 173
Defrise-Quertain, F., see Praet, M. (1148) 342
De Madariaga, M.A., see Domingo, J.C. (1148) 308
Den Hartigh, J.C., Van Bergen en Henegouwen, P.M.P., Boonstra, J. and Verkleij, A.J.
Cholesterol and phosphoinositides increase affinity of the epidermal growth factor receptor (1148) 249
Devaux, P.F., see Cribier, S. (1148) 85
Domingo, J.C., Mora, M. and De Madariaga, M.A.
Incorporation of *N*-acylethanolamine phospholipids into egg phosphatidylcholine vesicles: characterization and permeability properties of the binary systems (1148) 308
Dotimas, E., Speicher, D.W., GuptaRoy, B. and Cohen, C.M.
Structural domain mapping and phosphorylation of human erythrocyte pallidin (band 4.2) (1148) 19

Easwaran, K.R.K., see Balakrishnan, A.R. (1148) 269
Eisinger, J., see Lew, V.L. (1148) 152
Endo, T., see Ohyama, K. (1148) 133
Etzion, Z., see Lew, V.L. (1148) 152

Fisher, D., see Tilcock, C. (1148) 77
Flekl, W., see Tahotna, D. (1148) 173
Fritsch, J., see Chesnoy-Marchais, D. (1148) 239

Galzi, J.-L., see Aslanian, D. (1148) 291
Gambaro, G., see Baggio, B. (1148) 157
Garrick, R.A., Ryan, U.S., Bower, V., Cua, W.O. and Chinard, F.P.
The diffusional transport of water and small solutes in isolated endothelial cells and erythrocytes (1148) 108
Grof, P., see Aslanian, D. (1148) 291
GuptaRoy, B., see Dotimas, E. (1148) 19

Haase, W., see Birk, H.-W. (1148) 67
Hapala, I., see Tahotna, D. (1148) 173
Harvey, W.R., see Hennigan, B.B. (1148) 209
Harvey, W.R., see Hennigan, B.B. (1148) 216
Hennigan, B.B., Wolfersberger, M.G. and Harvey, W.R.
Neutral amino acid symport in larval *Manduca sexta* midgut brush-border membrane vesicles deduced from cation-dependent uptake of leucine, alanine, and phenylalanine (1148) 216
Hennigan, B.B., Wolfersberger, M.G., Parthasarathy, R. and Harvey, W.R.
Cation-dependent leucine, alanine, and phenylalanine uptake at pH 10 in brush-border membrane vesicles from larval *Manduca sexta* midgut (1148) 209

Author Index

Abraham, W., see Kim, Y.-H. (1148) 139
Ahkong, Q.F., see Song, L.Y. (1148) 30
Ahkong, Q.F., see Tilcock, C. (1148) 77
Akerboom, T.P.M., see Horbach, M.E. (1148) 61
Akkerman, J.-W.N., see Nieuwland, R. (1148) 185
Alekseev, S.I. and Zaykin, A.V.
Kinetic study of A-type current inactivation in *Lymnaea* neurons (1148) 97
Altmannsberger, M., see Birk, H.-W. (1148) 67
Ambrosini, A., Bertoli, E., Mariani, P., Tanfani, F., Wozniak, M. and Zolese, G.
N-Acylethanolamines as membrane topological stress compromising agents (1148) 351
Apell, H.-J., see Ivashchuk-Kienbaum, Y.A. (1148) 321
Arnold, K., see Zschörnig, O. (1148) 1
Aslanian, D., Grof, P., Galzi, J.-L. and Changeux, J.-P.
A Raman spectroscopic study of acetylcholine receptor-rich membranes from *Torpedo marmorata*. Interaction of the receptor with carbamylcholine and (+)-tubocurarine (1148) 291
Avakian, T.Y., see Ritov, V.B. (1148) 257

Baggio, B., Bordin, L., Clari, G., Gambaro, G. and Moret, V.
Functional correlation between the Ser/Thr-phosphorylation of band-3 and band-3-mediated transmembrane anion transport in human erythrocytes (1148) 157
Balakrishnan, A.R. and Easwaran, K.R.K.
CD and NMR studies on the aggregation of amphotericin-B in solution (1148) 269
Baldwin, J.M., see Song, L.Y. (1148) 30
Bannai, S., see Sato, H. (1148) 127
Barisas, B.G., see Printen, J.A. (1148) 91
Bauernschmitt, H.G. and Kinne, R.K.H.
Metabolism of the 'organic osmolyte' glycerophosphorylcholine in isolated rat inner medullary collecting duct cells. I. Pathways for synthesis and degradation (1148) 331
Bertoli, E., see Ambrosini, A. (1148) 351
Besancon, M., see Shin, J.M. (1148) 223
Birk, H.-W., Ogiermann, M., Altmannsberger, M., Schütterle, G., Haase, W. and Koepsell, H.
Monoclonal antibodies against luminal membranes of renal proximal tubules which are kidney-specific (1148) 67
Bittar, E.E. and Huang, Y.-P.
The reduction of the inhibitory effect of aluminum on Na^+ efflux in barnacle muscles fibers by preinjecting phosphate (1148) 123
Bookchin, R.M., see Lew, V.L. (1148) 152
Boonstra, J., see Den Hartigh, J.C. (1148) 249
Bordin, L., see Baggio, B. (1148) 157
Bower, V., see Garrick, R.A. (1148) 108
Butterworth, P.J. and Younus, M.J.
Uptake of phosphate by rat hepatocytes in primary culture: a sodium-dependent system that is stimulated by insulin (1148) 117
Butylin, A.A., see Ritov, V.B. (1148) 257

Changeux, J.-P., see Aslanian, D. (1148) 291
Chesnoy-Marchais, D. and Fritsch, J.
Potassium currents and effects of vitamin D-3 metabolites and cyclic GMP in rat osteoblastic cells (1148) 239
Chinard, F.P., see Garrick, R.A. (1148) 108
Clari, G., see Baggio, B. (1148) 157
Cohen, C.M., see Dotimas, E. (1148) 19
Cribier, S., Sainte-Marie, J. and Devaux, P.F.
Quantitative comparison between aminophospholipid translocase activity in human erythrocytes and in K562 cells (1148) 85
Cua, W.O., see Garrick, R.A. (1148) 108
Cunningham, B.A., see Sanderson, P.W. (1148) 278
Cunningham, B.A., see Williams, W.P. (1148) 285

DaCosta, R., see Lew, V.L. (1148) 152
Daum, G., see Tahotna, D. (1148) 173
Defrise-Quertain, F., see Praet, M. (1148) 342
De Madariaga, M.A., see Domingo, J.C. (1148) 308
Den Hartigh, J.C., Van Bergen en Henegouwen, P.M.P., Boonstra, J. and Verkleij, A.J.
Cholesterol and phosphoinositides increase affinity of the epidermal growth factor receptor (1148) 249
Devaux, P.F., see Cribier, S. (1148) 85
Domingo, J.C., Mora, M. and De Madariaga, M.A.
Incorporation of *N*-acylethanolamine phospholipids into egg phosphatidylcholine vesicles: characterization and permeability properties of the binary systems (1148) 308
Dotimas, E., Speicher, D.W., GuptaRoy, B. and Cohen, C.M.
Structural domain mapping and phosphorylation of human erythrocyte pallidin (band 4.2) (1148) 19

Easwaran, K.R.K., see Balakrishnan, A.R. (1148) 269
Eisinger, J., see Lew, V.L. (1148) 152
Endo, T., see Ohyama, K. (1148) 133
Etzion, Z., see Lew, V.L. (1148) 152

Fisher, D., see Tilcock, C. (1148) 77
Flekl, W., see Tahotna, D. (1148) 173
Fritsch, J., see Chesnoy-Marchais, D. (1148) 239

Galzi, J.-L., see Aslanian, D. (1148) 291
Gambaro, G., see Baggio, B. (1148) 157
Garrick, R.A., Ryan, U.S., Bower, V., Cua, W.O. and Chinard, F.P.
The diffusional transport of water and small solutes in isolated endothelial cells and erythrocytes (1148) 108
Grof, P., see Aslanian, D. (1148) 291
GuptaRoy, B., see Dotimas, E. (1148) 19

Haase, W., see Birk, H.-W. (1148) 67
Hapala, I., see Tahotna, D. (1148) 173
Harvey, W.R., see Hennigan, B.B. (1148) 209
Harvey, W.R., see Hennigan, B.B. (1148) 216
Hennigan, B.B., Wolfersberger, M.G. and Harvey, W.R.
Neutral amino acid symport in larval *Manduca sexta* midgut brush-border membrane vesicles deduced from cation-dependent uptake of leucine, alanine, and phenylalanine (1148) 216
Hennigan, B.B., Wolfersberger, M.G., Parthasarathy, R. and Harvey, W.R.
Cation-dependent leucine, alanine, and phenylalanine uptake at pH 10 in brush-border membrane vesicles from larval *Manduca sexta* midgut (1148) 209

Herman, J.R., see Printen, J.A. (1148) 91
Herron, J.N., see Kim, Y.-H. (1148) 139
Higuchi, W.I., see Kim, Y.-H. (1148) 139
Hirst, B.H., see McEwan, G.T.A. (1148) 51
Hollander, D., see Said, H.M. (1148) 263
Horbach, M.E., Sies, H. and Akerboom, T.P.M.
Identification of a hepatic plasma membrane glutathione *S*-transferase activated by *N*-ethylmaleimide (1148) 61
Huang, Y.-P., see Bittar, E.E. (1148) 123

Ishii, T., see Sato, H. (1148) 127
Ivashchuk-Kienbaum, Y.A., Riek, R. and Apell, H.-J.
Investigation of reconstitution of the Na,K-ATPase in lipid vesicles (1148) 321

Jepson, M.A., see McEwan, G.T.A. (1148) 51
Johnson, R.M. and Tang, K.
DIDS inhibition of deformation-induced cation flux in human erythrocytes (1148) 7

Kim, Y.-H., Higuchi, W.I., Herron, J.N. and Abraham, W.
Fluorescence anisotropy studies on the interaction of the short chain n-alkanols with stratum corneum lipid liposomes (SCLL) and distearoylphosphatidylcholine (DSPC)/distearoylphosphatidic acid (DSPA) liposomes (1148) 139
Kinne, R.K.H., see Bauernschmitt, H.G. (1148) 331
Koepsell, H., see Birk, H.-W. (1148) 67

Lew, V.L., Etzion, Z., Bookchin, R.M., DaCosta, R., Väänänen, H., Sassaroli, M. and Eisinger, J.
The distribution of intracellular calcium chelator (fura-2) in a population of intact human red cells (1148) 152
Lis, L.J., see Sanderson, P.W. (1148) 278
Lis, L.J., see Williams, W.P. (1148) 285
Lucy, J.A., see Song, L.Y. (1148) 30

Mariani, P., see Ambrosini, A. (1148) 351
McEwan, G.T.A., Jepson, M.A., Hirst, B.H. and Simmons, N.L.
Polycation-induced enhancement of epithelial paracellular permeability is independent of tight junctional characteristics (1148) 51
Menshikova, E.V., see Ritov, V.B. (1148) 257
Möbius, D., see Zaitsev, S.Y. (1148) 191
Mohammadkhani, R., see Said, H.M. (1148) 263
Mora, M., see Domingo, J.C. (1148) 308
Moret, V., see Baggio, B. (1148) 157
Morselt, H., see Van Borssum Waalkes, M. (1148) 161
Murzakhmetova, M.K., see Ritov, V.B. (1148) 257

Naftalin, R.J. and Rist, R.J.
The relationship between sugar metabolism, transport and superoxide radical production in rat peritoneal macrophages (1148) 39
Nakanishi, H., see Yamaguchi, H. (1148) 179
Nieuwland, R., Siffert, W. and Akkerman, J.-W.N.
Effect of epinephrine on the regulation of Na^+/H^+ exchange in human platelets (1148) 185

Ogiermann, M., see Birk, H.-W. (1148) 67
Ohki, S., see Zschörnig, O. (1148) 1
Ohkuma, S., see Ohyama, K. (1148) 133
Ohyama, K., Endo, T., Ohkuma, S. and Yamakawa, T.
Isolation and influenza virus receptor activity of glycophorins B, C and D from human erythrocyte membranes (1148) 133
O'Reilly, R., see Song, L.Y. (1148) 30

Paltauf, F., see Tahotna, D. (1148) 173
Panek, A.D., see Soares de Araujo, P. (1148) 303
Parthasarathy, R., see Hennigan, B.B. (1148) 209
Pink, D.A., Ramadurai, K.S. and Powell, J.R.
Computer simulation of lipid diffusion in a two-component bilayer. The effect of adsorbing macromolecules (1148) 197
Powell, J.R., see Pink, D.A. (1148) 197
Praet, M., Defrise-Quertain, F. and Ruysschaert, J.M.
Comparison of adriamycin and derivatives uptake into large unilamellar lipid vesicles in response to a membrane potential (1148) 342
Printen, J.A., Woodard, S.L., Herman, J.R., Roess, D.A. and Barisas, B.G.
Membrane changes in lipopolysaccharide-stimulated murine B lymphocytes associated with cell activation (1148) 91

Ramadurai, K.S., see Pink, D.A. (1148) 197
Říčný, J. and Whittaker, V.P.
Vesamicol blocks the recovery, by recycling cholinergic electromotor synaptic vesicles, of the biophysical characteristics of the reserve population (1148) 234
Riek, R., see Ivashchuk-Kienbaum, Y.A. (1148) 321
Rist, R.J., see Naftalin, R.J. (1148) 39
Ritov, V.B., Murzakhmetova, M.K., Tverdislova, I.L., Menshikova, E.V., Butylin, A.A., Avakian, T.Y. and Yakovenko, L.V.
Alamethicin as a permeabilizing agent for measurements of Ca^{2+}-dependent ATPase activity in proteoliposomes, sealed membrane vesicles, and whole cells (1148) 257
Roess, D.A., see Printen, J.A. (1148) 91
Rosen, A.D.
Membrane response to static magnetic fields: effect of exposure duration (1148) 317
Ruysschaert, J.M., see Praet, M. (1148) 342
Ryan, U.S., see Garrick, R.A. (1148) 108

Sachs, G., see Shin, J.M. (1148) 223
Said, H.M., Hollander, D. and Mohammadkhani, R.
Uptake of riboflavin by intestinal basolateral membrane vesicles: a specialized carrier-mediated process (1148) 263
Sainte-Marie, J., see Cribier, S. (1148) 85
Sanderson, P.W., Williams, W.P., Cunningham, B.A., Wolfe, D.H. and Lis, L.J.
The effect of ice on membrane lipid phase behaviour (1148) 278
Sanderson, P.W., see Williams, W.P. (1148) 285
Sassaroli, M., see Lew, V.L. (1148) 152
Sato, H., Ishii, T., Sugita, Y., Tateishi, N. and Bannai, S.
Induction of a 23 kDa stress protein by oxidative and sulfhydryl-reactive agents in mouse peritoneal macrophages (1148) 127
Schatzmann, H.J.
Asymmetry of the magnesium sodium exchange across the human red cell membrane (1148) 15
Scherphof, G.L., see Van Borssum Waalkes, M. (1148) 161
Schütterle, G., see Birk, H.-W. (1148) 67
Shin, J.M., Besancon, M., Simon, A. and Sachs, G.
The site of action of pantoprazole in the gastric H^+/K^+-ATPase (1148) 223
Sies, H., see Horbach, M.E. (1148) 61
Siffert, W., see Nieuwland, R. (1148) 185
Simmons, N.L., see McEwan, G.T.A. (1148) 51
Simon, A., see Shin, J.M. (1148) 223
Soares de Araujo, P. and Panek, A.D.
The interaction of *Saccharomyces cerevisiae* trehalase with membranes (1148) 303
Song, L.Y., Ahkong, Q.F., Baldwin, J.M., O'Reilly, R. and Lucy, J.A.
Divalent cations, phospholipid asymmetry and osmotic swelling in electrically-induced lysis, cell fusion and giant cell formation with human erythrocytes (1148) 30
Speicher, D.W., see Dotimas, E. (1148) 19
Sternberg, B., see Van Borssum Waalkes, M. (1148) 161
Sugita, Y., see Sato, H. (1148) 127

Tahotna, D., Hapala, I., Zinser, E., Flekl, W., Paltauf, F. and Daum, G.
Two yeast peroxisomal proteins crossreact with an antiserum against human sterol carrier protein 2 (SCP-2) (1148) 173
Tanfani, F., see Ambrosini, A. (1148) 351
Tang, K., see Johnson, R.M. (1148) 7
Tateishi, N., see Sato, H. (1148) 127
Tilcock, C., Ahkong, Q.F. and Fisher, D.
Polymer-derivatized technetium ^{99m}Tc-labeled liposomal blood pool agents for nuclear medicine applications (1148) 77
Tverdislova, I.L., see Ritov, V.B. (1148) 257

Väänänen, H., see Lew, V.L. (1148) 152
Van Bergen en Henegouwen, P.M.P., see Den Hartigh, J.C. (1148) 249
Van Borssum Waalkes, M., Van Galen, M., Morselt, H., Sternberg, B. and Scherphof, G.L.
In-vitro stability and cytostatic activity of liposomal formulations of 5-fluoro-2′-deoxyuridine and its diacylated derivatives (1148) 161
Van Galen, M., see Van Borssum Waalkes, M. (1148) 161
Verkleij, A.J., see Den Hartigh, J.C. (1148) 249

Whittaker, V.P., see Říčný, J. (1148) 234
Williams, W.P., Sanderson, P.W., Cunningham, B.A., Wolfe, D.H. and Lis, L.J.
Phase behaviour of membrane lipids containing polyenoic acyl chains (1148) 285
Williams, W.P., see Sanderson, P.W. (1148) 278
Wolfe, D.H., see Sanderson, P.W. (1148) 278
Wolfe, D.H., see Williams, W.P. (1148) 285
Wolfersberger, M.G., see Hennigan, B.B. (1148) 209
Wolfersberger, M.G., see Hennigan, B.B. (1148) 216
Woodard, S.L., see Printen, J.A. (1148) 91
Wozniak, M., see Ambrosini, A. (1148) 351

Yakovenko, L.V., see Ritov, V.B. (1148) 257
Yamaguchi, H. and Nakanishi, H.
Characterization of the preparation process and the photochemical control of electrical properties of bilayer lipid membranes containing azobenzene chromophores (1148) 179
Yamakawa, T., see Ohyama, K. (1148) 133
Younus, M.J., see Butterworth, P.J. (1148) 117

Zaitsev, S.Y., Zubov, V.P. and Möbius, D.
Monolayer characteristics of valinomycin in the presence of various salts in aqueous subphase (1148) 191
Zaykin, A.V., see Alekseev, S.I. (1148) 97
Zinser, E., see Tahotna, D. (1148) 173
Zolese, G., see Ambrosini, A. (1148) 351
Zschörnig, O., Arnold, K. and Ohki, S.
Effect of glycosaminoglycans and PEG on fusion of Sendai virus with phosphatidylserine vesicles (1148) 1
Zubov, V.P., see Zaitsev, S.Y. (1148) 191